Low Birthweight (All Births)

Low Birthweight (All Births)

•Most recent data (2014): 6.8 per 100 births, including 1,727 newborns.

•Trend over time: 2000-06: rising; 2006-14: flat

•Description: Live births under 2500 grams, or 5 pounds 8 ounces

•Healthy People 2020 Goal: 8 per 100 live births or lower

Low birthweight (all births), King County, 2010-2014 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	6.5	6.4	6.7	1617
MOTHER'S AGE	4	'		1
10-17	6.4	5.0	8.1	14
18-24	6.7	6.3	7.1	235
25-34	6.1	6.0	6.3	915
35-44	7.2	6.9	7.5	436
45+	16.5	13.1	20.4	17
RACE/ETHNICITY				
AIAN	7.6	6.0	9.5	15
Asian	7.7	7.4	8.1	376
Black	9.2	8.7	9.8	199
Hispanic	6.0	5.6	6.4	196
Multiple	7.6	6.9	8.5	75
NHPI	5.4	4.4	6.5	21
White	5.7	5.5	5.9	903
REGION				
East	6.3	6.0	6.6	384
North	6.1	5.5	6.7	83
Seattle	6.4	6.2	6.7	463
South	6.7	6.5	6.9	650
STATE				
Washington State	6.3	6.2	6.4	5484

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Birth Certificates. Prepared by Public Health - Seattle & King County, APDE, 08/2016.

'Rate = per 100 live births.


CI is 95% Confidence Interval.

 * Too few cases to protect confidentiality and/or report reliable rates.

 \S Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Low birthweight (all births) King County, 2010-2014 average



Source: WA State DOH, Center for Health Statistics, Birth Certificates. Prepared by Public Health - Seattle & King County, APDE, 08/2016. ^Rate = per 100 live births.

|-----| Confidence interval shows range that includes true value 95% of the time.
* Too few cases to protect confidentiality and/

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Low birthweight (all births) by health reporting areas, King County, 2010-2014 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	6.5	6.4	6.7	1617
Auburn	6.9	6.2	7.7	66
Auburn-North	7.2	6.2	8.3	37
Auburn-South	6.5	5.5	7.7	29
Bear Creek/Carnation/Duvall	5.8	4.9	6.7	33
Bellevue	7.2	6.6	7.8	115
Bellewe-Central	7.2	6.3	8.3	41
Bellewe-NE	6.8	5.8	8.0	30
Bellevue-South	7.3	5.9	8.9	19
Bellevæ-West	7.7	6.5	9.2	25
Black Diamond/Enumclaw/SE County	5.8	4.8	6.8	25
Bothell/Woodinville	6.2	5.2	7.4	26
Burien	6.9	6.1	7.9	46
	_			
Covington/Maple Valley	6.6	5.7	7.6	40
Des Moines/Normandy Park	6.3	5.3	7.4	27
East Federal Way	5.0	4.1	6.1	22
Fairwood	7.4	6.0	9.0	20
Federal Way	6.4	5.8	7.0	81
Fed Way-Central/Military Rd	6.5	5.8	7.4	53
Fed Way-Dash Point/Woodmont	6.2	5.2	7.3	28
Issaquah	5.4	4.5	6.4	25
Kenmore/LFP	6.0	4.9	7.2	22
Kent	7.1	6.5	7.6	132
Kent-East	6.7	5.7	7.8	33
Kent-SE	6.9	6.2	7.7	61
Kent-West	7.7	6.6	8.8	38
Kirkland	6.0	5.4	6.7	67
Kirkland	6.3	5.5	7.3	42
Kirkland North	5.6	4.7	6.7	25
Mercer Isle/Pt Cities	6.5	5.0	8.3	13
Newcastle/Four Creeks	6.0	4.8	7.4	17
North Highline	6.8	5.4	8.3	18
Redmond	6.6	5.9	7.4	61
Renton	7.1	6.6	7.7	118
Renton-East	6.2	5.2	7.3	29
Renton-North	6.8	5.7	7.9	30
Renton-South	7.9	7.0	8.8	60
Sammamish	5.9	4.9	6.9	28
SeaTac/Tukwila	6.6	5.9	7.5	52
Seattle	6.4	6.2	6.7	463
Ballard	5.9	5.1	6.8	40
Beacon/Gtown/S.Park	7.4	6.4	8.5	40
Capitol Hill/E.lake	5.7	4.6	6.9	20
Central Seattle	6.5	5.5	7.5	34
Delridge	6.7	5.7	7.8	34
Downtown	8.9	7.4	10.6	24
Fremont/Greenlake	5.8	5.0	6.7	35
NE Seattle	6.1	5.2	7.0	38
North Seattle	6.7	5.8	7.7	40
NW Seattle	5.6	4.8	6.5	33
QA/Magnolia	6.0	5.2	6.9	37
SE Seattle	7.2	6.3	8.2	46
	_			
West Seattle	6.2	5.4	7.1	40
Shoreline	6.1	5.3	7.1	35
Snoqualmie/North Bend/Skykomish	5.4	4.5	6.3	27
Vashon Island	5.7	3.2	9.4	3

Comparisons:

Higher than King County rate (yellow)
Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Birth Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

'Rate = per 100 live births.


Cl is 95% Confidence Interval.

 * Too few cases to protect confidentiality and/or report reliable rates.

 \S Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Low birthweight (all births) by health reporting areas King County, 2010-2014 average




Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: WA State DOH, Center for Health Statistics, Birth Certificates.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

^Rate = per 100 live births.

Low birthweight (all births) King County, 2000-2014, three-year rolling averages



^Rate = per 100 live births.
Trends over time: King County (2000-06: rising; 2006-14: flat); East KC (2000-14: rising); North KC (2000-14: flat);
Seattle (2000-06: rising; 2006-14: flat); South KC (2000-14: rising); Washington State (2000-06: rising; 2006-14: flat)
Source: WA State DOH, Center for Health Statistics, Birth Certificates.
Prepared by Public Health - Seattle & King County, APDE, 08/2016.

Produced by the

<u>Assessment, Policy Development & Evaluation Unit</u>

<u>Public Health - Seattle & King County</u>

08/16

